

TYPICAL WALL SECTION "A"-"A"

SCALE: 1"=1'-0"



WOOD SASH DETAILS

SCALE: 3"=1'-0"



JAMB
(HEAD SIMILAR)

DOOR JAMB DETAIL

SCALE: 3"=1'-0"



ELEVATION OF DOOR

SCALE: 3/4"=1'-0"

MISCELLANEOUS NOTES:

1. CHECK ALL CONDITIONS & DIMENSIONS AT JOB
2. WALLS & FOOTINGS ARE DESIGNED FOR FUTURE 2ND. FLOOR ADDITION. FLOOR LL. 75#/□', ROOF L.L. 25#/□' PLUS ESTIMATED DEAD LOADS.
3. CONC. BLOCK TO BE CLASS "A" LOAD BEARING CONC. BLOCK LAID IN CEMENT MORTAR.
4. OUTSIDE FACE OF CONC. BLOCK WALL TO BE MOPPED WITH EMULSIFIED ASPHALTUM.
5. CONC. BLOCK CAVITIES TO BE CEMENT GROUTED SOLID FROM FOOTING WALL TO BOTTOM OF CAST CONC. LINTEL BEARING POINTS

NOTE: PROVIDE NAILING BLOCKS BOTTOM of LINTELS for DOOR & WINDOW CASINGS



DETAILS OF CAST IN PLACE WINDOW & DOOR LINTELS

SCALE: 3/4"=1'-0"



SKETCH SHOWING WALL REINFORCING

NOT TO SCALE

REVISION	DATE	APP'D.	DESCRIPTION	BY
8	12-6-51		RECORD BLOCK	1-2-52

Nº	ISSUED TO	DATE
	PRINTS	

P.W. DRAWING Nº 2645

DES. [illegible] 11-28-51
DRWN. [illegible]
CHK.
SUPV.
IN CHARGE [illegible]

SATISFACTORY TO

DATE

NAVAL AIR STATION
SEATTLE, WASHINGTON

ADDITION TO FIREHOUSE BLDG. Nº 18 FOR SHOP SPACE
MISCELLANEOUS DETAILS

APPROVED [illegible] DATE 1-2-52
PUBLIC WORKS OFFICE

SCALE: AS SHOWN | SPEC.
SHEET 2 of 2 NOY
Y&D DRWNG. Nº

52971