

Prentis Frazier Park

Seattle, WA




2-5 Play

5-12 Play



Prentis Frazier Park

Seattle, WA





HARRISON ST

STEEP SIDEWALK

SLOPE REPAIR

2,280 SF PLAYGROUND GRASS

REMOVE STAIRS

REGRADE BERM

SEAT WALL OR ROCK CLIMBING


EX TREE TYP

LIGHT

BENCHES

EX QC

EXLAWN



COLOR SURFACING BASKETBALL AREA

FOUR SQUARE

HOP SCOTCH


TABLES

NEW QC

2-5 PLAY AREA

5-12 PLAY AREA

PROPERTY LINE



ISO 9001 CERTIFIED
 150 PlayCore Drive SE
 Fort Payne, AL 35967
 www.gametime.com

PRENTIS FRAZIER PARK
 SEATTLE, WA
 PRESENTED BY SITELINES
 Representative
 GARY MAX 1-800-541-0869

This unit includes...
 to meet the 2010...
 Americans with Disabilities Act...
 Standards for Accessible Design.

Total Elevated Play Components	0	Required	0
Total Elevated Play Components Accessible By Ramp	8	Required	4
Total Elevated Components Accessible By Transfer	8	Required	4
Total Accessible Ground Level Components Shown	32	Required	3
Total Different Types Of Ground Level Components	7	Required	3

This play equipment is recommended for children ages 25 & 5-12

Minimum Area Required:
 Scale: 1" = 5'-0"
 This drawing can be scaled only when in an 24" x 36" format

IMPORTANT: Soft resilient surfacing should be placed in the use zones of all equipment, as specified for each type of equipment, and at depths to meet the critical fall heights as specified by the U.S. Consumer Product Safety Commission, ASTM standard F 1487 and Canadian Standard CAN/CSA Z-614

Drawn By: SHAWNA BIRKETT
 Date: SEPTEMBER 23, 2016
 Drawing Name: S092316GM

FX