



MADE	CHK'D	REV'D
NATURE	REVISIONS	
DATE	MARK	
Vault Serial No.	33655	

P:\RecordDrawings\C399312\SWT01_P.dwg rainwab 09/21/00 09:27 AM



VICINITY MAP
SCALE: 1" = 400'

DETAIL AND SECTION REFERENCING



ABBREVIATIONS
TSE: TOP SWALE ELEVATION
BSE: BOTTOM SWALE ELEVATION
ORF DIAM: ORIFICE DIAMETER
* PERF: PREFERRED

DRAINAGE NOTES

- UNLESS OTHERWISE NOTED:
- DATUM: CITY OF SEATTLE. (SEE DATUM/SURVEY CONTROL)
 - PIPE LESS THAN 12" DIAMETER SHALL BE CONCRETE PER ASTM C14 CLASS 3.
 - PIPES GREATER THAN OR EQUAL TO 12" DIAMETER SHALL BE ASTM C76 CLASS V.
 - DUCTILE IRON PIPE SHALL BE PER ANSI A21.51 CLASS 52 WITH PUSH-ON JOINTS. FITTINGS FOR DUCTILE IRON PIPE SHALL BE DUCTILE PER ANSI A21.10 OR ANSI A21.53 WITH PUSH-ON JOINTS.
 - PVC PIPE AND FITTINGS SHALL BE PER ASTM D 1785, SCH 40, WITH EITHER RUBBER GASKET JOINTS OR SOLVENT WELDED JOINTS. PVC PSS AND PSD PIPES SHALL BE TESTED FOR EXCESSIVE DEFLECTION WITH A MANDREL PER SECTION 7-17.3(4) OF THE SPECIFICATIONS.
 - SUBSURFACE DRAIN (SSD) PIPE AND FITTINGS SHALL BE PVC PER ASTM D1785, SCH 40 WITH SOLVENT WELDED JOINTS. PIPE SHALL HAVE SLOTTED PERFORATIONS. SLOTS ARE TO BE 0.040" WIDE BY 1.0' LONG AND SPACED 0.25' APART. SLOT LOCATIONS SHALL BE LOCATED PER SLOT DETAIL ON PLAN.
 - BEDDING SHALL BE CLASS B FOR ALL PIPE EXCEPT DUCTILE IRON PIPE, WHICH SHALL BE CLASS D. BEDDING MATERIAL FOR PVC PIPE SHALL BE MINERAL AGGREGATE TYPE 22. BEDDING MATERIAL FOR PVC PIPE AND CMP SHALL BE MECHANICALLY COMPACTED TO 90% OF MAXIMUM DRY DENSITY AS MEASURED BY ASTM D-698.
 - WHERE A NEW PIPE CLEARS AND EXISTING OR UTILITY BY 6" OR LESS, POLYETHYLENE PLASTIC FOAM SHALL BE PLACED AS A CUSHION BETWEEN EACH UTILITY.
 - TEES, CATCH BASIN CONNECTIONS, SIDE SEWER, AND SERVICE DRAINS SHALL BE PLACED AT A MINIMUM SLOPE OF 0.5% AND A MAXIMUM SLOPE OF 50%.
 - SERVICE DRAINS AND SIDE SEWERS SHALL BE CONNECTED/RECONNECTED AS APPROVED BY THE ENGINEER.
 - RELAY EXISTING SERVICE DRAINS/SIDE SEWERS TO CLEAR OVER OR UNDER THE NEW UTILITY AS APPROVED BY THE ENGINEER.
 - SERVICE DRAINS AND SIDE SEWERS SHALL NOT BE BACKFIELD UNTIL THE PIPE HAS BEEN INSPECTED AND APPROVED AND THE LOCATION AND DEPTH IS RECORDED BY THE ENGINEER.
 - TEES ON NEW PIPE SHALL BE PREFABRICATED.
 - SOILS TEST BORING LOCATIONS ARE INDICATED ON THE VICINITY MAP. TEST DATA IS INCLUDED IN THE SPECIFICATIONS.
 - THE CONTRACTOR SHALL PROVIDE SUPPORTS FOR POWER POLES NEAR EXCAVATIONS PER SEATTLE CITY LIGHT STANDARDS NO. D3-6.
 - GRADING PLAN TO BE PROVIDED AT TIME OF PRECONSTRUCTION MEETING. STATIONING & ELEVATION MAY BE MODIFIED IN THE FIELD AS DIRECTED BY ENGINEER.

DATUM/SURVEY CONTROL

- VERTICAL DATUM: CITY OF SEATTLE.
 BM#1 EL: 380.11 FIELDBOOK 2086-N / PAGE 43
 FND. CHISELED SQUARE, CENTER CONC WALK, 6' N. OF S. END, AT NW CORNER 2ND AVE NW AND NW 120TH ST.
 BM#2 EL: 366.23 FIELDBOOK 2086-N / PAGE 43
 FND. CHISELED SQUARE, ON S SIDE PRIVATE CONC WALK AT FIRST SEAM, HOUSE #11602, AT NE CORNER INTX OF 2ND AVE NW AND NW 116TH ST.
- HORIZONTAL DATUM: HPGN/NAD83/91 PER CITY DETERMINED COORDINATES ON MONUMENTS AT STREET INTERSECTIONS.
 #1 N:264234.82 E:1264726.57
 MON IN CASE AT INTX 2ND AVE NW AND NW 117TH ST
 #12 N:264897.30 E:1264735.09
 CONC MON IN CASE AT INTX 2ND AVE NW AND NW 120TH ST

EROSION CONTROL

FLOW MONITORING POOL CONSTRUCTION SHALL BE FIRST ORDER OF WORK AND SHALL BE CONSTRUCTED AND OPERATED TO CHANNEL ALL SURFACE DRAINAGE THROUGH AND DURING CONSTRUCTION. THIS SHALL BE OPERATED AS A SEDIMENT CONTAINMENT AREA SO THAT NO SEDIMENT ENTERS THE DOWN STREAM DRAINAGE SYSTEM OR PIPERS CREEK AND ITS TRIBUTARIES (SEE SHEET 3).

Sheet Index

Sht No.	Sheet Description
1	VICINITY MAP, GENERAL NOTES, DETAIL AND SECTION REFERENCING
2	REMOVAL & RELOCATION PLAN
3	DRAINAGE PLAN & PROFILE
4	DRAINAGE PLAN & PROFILE
5	DRAINAGE PROFILE WEST SIDE
6	CROSS SECTION DETAILS
7	DRAINAGE DETAILS SHEET
8	DRAINAGE DETAILS SHEET
9	PAVING ALIGNMENT PLAN
10	PAVING PLAN
11	PAVING PLAN
12	LANDSCAPING PLAN
13	LANDSCAPING PLAN
14	TREE SCHEDULE AND PLANTING SCHEDULE

PAVING NOTES

- UNLESS OTHERWISE NOTED:
- JOINTS BETWEEN EXISTING PAVEMENT AND NEW ASPHALT SHALL BE BUTT JOINTS.
 - EXISTING ASPHALT PAVING SHALL BE REMOVED ON A NEAT LINE ADJACENT TO NEW CONSTRUCTION.
 - IF SUBGRADE SOFT SPOTS ARE ENCOUNTERED, THE CONTRACTOR SHALL OBTAIN REQUIRED COMPACTION IN ACCORDANCE WITH SECTIONS 2-06.3 (2) AND 2-06.3 (3) OF THE STANDARD SPECIFICATIONS.
 - PAVEMENT RESTORATION FOR CONCRETE STREETS AND CONCRETE WALKS WHICH ARE NOT SHOWN ON THE PLANS SHALL BE IN ACCORDANCE WITH THE "STREET AND SIDEWALK PAVEMENT OPENING AND RESTORATION RULES", THE CURRENT VERSION.
 - REPLACEMENT OF CASTINGS AND COVERS WILL BE PROVIDED BY THE OWNER(S) OF THE UTILITIES. THE CONTRACTOR SHALL ADJUST ALL UTILITY CASTINGS AND METER BOXES TO GRADE PRIOR TO THE INSTALLATION OF THE FINAL WEARING COURSE. CASTINGS AND METER BOXES DAMAGED DUE TO THE CONTRACTOR SHALL BE REPLACED BY THE CONTRACTOR AT THE CONTRACTOR'S EXPENSE.
 - HYDRANTS, WATER METERS, AND OTHER WATER SERVICES SHALL BE ADJUSTED OR RELOCATED BY SPU WATER OPERATIONS.
 - CONTRACTOR SHALL NOTIFY THE LANDSCAPE ARCHITECT (SHANE DEWALD AT 206-684-5041) FOUR (4) WORKING DAYS PRIOR TO TRIMMING ANY TREES.
 - EXISTING MONUMENT CASTINGS WITHIN THE CONSTRUCTION AREA SHALL BE ADJUSTED OR RESET. CONTRACTOR SHALL CONTACT SPU SURVEY (W.M. BLANKENSHIP AT 684-5073) FOUR (4) WORKING DAYS PRIOR TO REMOVING MONUMENT CASTINGS TO ENSURE THAT THE MONUMENTS ARE "TIED OUT" PRIOR TO REMOVAL.
 - CONTRACTOR SHALL NOTIFY TRANSPORTATION DIVISION (ROBERT BURNS AT 206-684-5370) FOUR (4) WORKING DAYS PRIOR TO SIGN AND PARKING METER REMOVAL AND INSTALLATIONS. INSTALLATIONS ARE TO BE INSTALLED IN ACCORDANCE WITH STANDARD PLANS.
 - PARKING AREAS SHALL BE FIELD MARKED BY THE ENGINEER. STALL WIDTHS ARE 9'.

RECORD DRAWING

APPROVED FOR ADVERTISING DWIGHT DIVELY EXECUTIVE SERVICES DIRECTOR SEATTLE, WASHINGTON 20	NAME OR INITIALS AND DATE DESIGNED CHECKED	INITIALS AND DATE REVIEWED: DES. CONST. SEATRAN PROJ. MGR.
BY: CONTRACTING MANAGER	DRAWN CHECKED	RECEIVED REVISED AS BUILT
ALL WORK DONE IN ACCORDANCE WITH THE CITY OF SEATTLE STANDARD PLANS AND SPECIFICATIONS AND OTHER DOCUMENTS CALLED FOR IN SECTION 0-02.3 OF THE PROJECT MANUAL.		

City of Seattle
Seattle Public Utilities
Diana Gale, Director


ORDINANCE NO. APPROVED
FUND:
SCALE: AS SHOWN INSPECTOR'S BOOK

S.E.A. STREET
2nd AVE NW
(NW 117TH TO NW 120TH)


NO. PC C399312
R/W
CO C399312
Vault Plan No. 777-162
SHEET 1 OF 14

VAULT SERIAL NO.	DATE	MARK	NATURE	MADE CHKD	REV'D
33655					

P:\RecordDrawings\C399312\SWT03_P.dwg rainwab 09/21/00 09:31 AM



PROFILE EAST SIDE OF STREET
FOR PROFILE ON WEST SIDE OF STREET
SEE SHEET 5



LEGEND
 - - - - - EAST SIDE DRAINAGE CENTERLINE
 - - - - - WEST SIDE DRAINAGE CENTERLINE

RECORD DRAWING

FOR PAVING PLAN, SEE SHEET 10&11
 FOR DRAINAGE PLAN, SEE SHEET 3&4
 FOR LANDSCAPING PLAN, SEE SHEET 12&13

DRAINAGE PLAN & PROFILE

APPROVED FOR ADVERTISING DWIGHT DIVELY EXECUTIVE SERVICES DIRECTOR SEATTLE, WASHINGTON 20	NAME OR INITIALS AND DATE DESIGNED CHECKED	INITIALS AND DATE REVIEWED: DES. CONST. SEATRAN PROJ. MGR.
BY: CONTRACTING MANAGER	DRAWN CHECKED	RECEIVED REVISED AS BUILT
ALL WORK DONE IN ACCORDANCE WITH THE CITY OF SEATTLE STANDARD PLANS AND SPECIFICATIONS AND OTHER DOCUMENTS CALLED FOR IN SECTION 0-02.3 OF THE PROJECT MANUAL.		

City of Seattle
Seattle Public Utilities
 Diana Gale, Director


ORDINANCE NO. APPROVED
 FUND:
 SCALE: H 1"=20' V 1"=10' INSPECTOR'S BOOK

S.E.A. STREET
2nd AVE NW
(NW 117TH TO NW 120TH)

NO. PC C399312
 R/W
 CO C399312
 VAULT PLAN NO.
 777-162
 SHEET 4 OF 14

400
390
380
370
360


MATCH LINE 9+00 SEE SHT 4
400
390
380
370
360



PROFILE EAST SIDE OF STREET

FOR PROFILE ON WEST SIDE OF STREET
SEE SHEET 5

VAULT SERIAL NO.	DATE	MARK	NATURE	REVISIONS	MADE CH'CD	REV'D
33655						



LEGEND

- EAST SIDE DRAINAGE CENTERLINE
- WEST SIDE DRAINAGE CENTERLINE

MATCH LINE 9+00 SEE SHT 4

RECORD DRAWING

DRAINAGE PLAN & PROFILE

FOR PAVING PLAN, SEE SHEET 10&11
FOR DRAINAGE PLAN, SEE SHEET 3&4
FOR LANDSCAPING PLAN, SEE SHEET 12&13

APPROVED FOR ADVERTISING DWIGHT DIVELY EXECUTIVE SERVICES DIRECTOR SEATTLE, WASHINGTON 20	NAME OR INITIALS AND DATE DESIGNED CHECKED	INITIALS AND DATE REVIEWED: DES. CONST. SEATRAN PROJ. MGR.
BY: CONTRACTING MANAGER	DRAWN CHECKED	RECEIVED REVISED AS BUILT

City of Seattle
Seattle Public Utilities
Diana Gale, Director

ORDINANCE NO. APPROVED
FUND:
SCALE: H 1"=20' V 1"=10' INSPECTOR'S BOOK


S.E.A. STREET
2nd AVE NW
(NW 117TH TO NW 120TH)

NO. PC C399312
R/W
JOB CO C399312
VAULT PLAN NO. 777-162
SHEET 3 OF 14

P:\RecordDrawings\C399312\SWTD4_P.dwg rainwab 09/21/00 09:33 AM

VAULT SERIAL NO. 33655	DATE MARK	NATURE REVISIONS	MADE CHK'D REV'D
---------------------------	--------------	---------------------	------------------------

RECORD DRAWING



DRAINAGE PROFILE WEST SIDE

APPROVED FOR ADVERTISING
 DWIGHT DIVELY
 EXECUTIVE SERVICES DIRECTOR
 SEATTLE, WASHINGTON 20

BY: CONTRACTING MANAGER

NAME OR INITIALS AND DATE	INITIALS AND DATE
DESIGNED CHECKED	REVIEWED: DES. CONST. SEATRAN PROJ. MGR.
DRAWN CHECKED	RECEIVED
	REVISED AS BUILT
ALL WORK DONE IN ACCORDANCE WITH THE CITY OF SEATTLE STANDARD PLANS AND SPECIFICATIONS AND OTHER DOCUMENTS CALLED FOR IN SECTION 0-02.3 OF THE PROJECT MANUAL.	

City of Seattle
Seattle Public Utilities
 Diana Gale, Director

ORDINANCE NO. APPROVED

FUND:

SCALE: H 1"=20' V 1"=10' INSPECTOR'S BOOK


S.E.A. STREET
2nd AVE NW
(NW 117TH TO NW 120TH)

JOB NO.	PC C399312
R/W	
CO	C399312
VAULT PLAN NO.	777-162
SHEET	5 OF 14


VAULT SERIAL NO. 33655	DATE 09/21/00	MARK SWT06	NATURE P.dwg	REVISIONS	MADE CHKD REVD
---------------------------	------------------	---------------	-----------------	-----------	----------------

P:\RecordDrawings\C399312\SWT06_P.dwg rainwab 09/21/00 09:36 AM


RECORD DRAWING




SECTION A-A: VEGETATED SWALE W6,E6




SECTION B-B: VEGETATED SWALE W5,E6




SECTION C-C: VEGETATED SWALE W5,E5




SECTION D-D: VEGETATED SWALE W4




SECTION E-E: VEGETATED SWALE W3,E4



SECTION F-F: VEGETATED SWALE E5



SECTION G-G: VEGETATED SWALE W2,E2



SECTION H-H: VEGETATED SWALE W1,E1

City of Seattle
Seattle Public Utilities
 Diana Gale, Director

ORDINANCE NO. APPROVED
 FUND:
 SCALE: H 1"=20' V 1"=10' INSPECTOR'S BOOK

S.E.A. STREET
2nd AVE NW
(NW 117TH TO NW 120TH)

JOB NO.	PC C399312
R/W	
CO	C399312
VAULT PLAN NO.	777-162
SHEET	6 OF 14

APPROVED FOR ADVERTISING
 DWIGHT DIVELY
 EXECUTIVE SERVICES DIRECTOR
 SEATTLE, WASHINGTON 20

BY: CONTRACTING MANAGER

DESIGNED CHECKED	NAME OR INITIALS AND DATE	REVIEWED: DES. CONST. SEATRAN PROJ. MGR.
DRAWN CHECKED		RECEIVED
		REVISED AS BUILT


ALL WORK DONE IN ACCORDANCE WITH THE CITY OF SEATTLE STANDARD PLANS AND SPECIFICATIONS AND OTHER DOCUMENTS CALLED FOR IN SECTION 0-02.3 OF THE PROJECT MANUAL.

CROSS SECTION DETAILS


VAULT SERIAL NO. 33655	DATE 09/21/00	MARK SWT06	NATURE P.dwg	REVISIONS	MADE CH'KD REVD
---------------------------	------------------	---------------	-----------------	-----------	-----------------

P:\RecordDrawings\C399312\SWT06_P.dwg rainwab 09/21/00 09:36 AM


RECORD DRAWING




SECTION A-A: VEGETATED SWALE W6,E6




SECTION B-B: VEGETATED SWALE W5,E6




SECTION C-C: VEGETATED SWALE W5,E5




SECTION D-D: VEGETATED SWALE W4




SECTION E-E: VEGETATED SWALE W3,E4



SECTION F-F: VEGETATED SWALE E5



SECTION G-G: VEGETATED SWALE W2,E2



SECTION H-H: VEGETATED SWALE W1,E1

CROSS SECTION DETAILS

APPROVED FOR ADVERTISING
 DWIGHT DIVELY
 EXECUTIVE SERVICES DIRECTOR
 SEATTLE, WASHINGTON 20

DESIGNED CHECKED	NAME OR INITIALS AND DATE	INITIALS AND DATE
DRAWN CHECKED		REVIEWED: DES. CONST. SEATRAN PROJ. MGR.
		RECEIVED
		REVISED AS BUILT

City of Seattle
Seattle Public Utilities
 Diana Gale, Director


S.E.A. STREET
2nd AVE NW
(NW 117TH TO NW 120TH)

JOB NO.	PC C399312
R/W	
CO	C399312
VAULT PLAN NO.	777-162
SHEET	6 OF 14


BY: CONTRACTING MANAGER

ALL WORK DONE IN ACCORDANCE WITH THE CITY OF SEATTLE STANDARD PLANS AND SPECIFICATIONS AND OTHER DOCUMENTS CALLED FOR IN SECTION 0-02.3 OF THE PROJECT MANUAL.

ORDINANCE NO. APPROVED
 FUND:
 SCALE: H 1"=20' V 1"=10' INSPECTOR'S BOOK




PLAN




VEGETATED SWALE
W/FLOW CONTROL STRUCTURE (2)
SCALE: 1/2" = 1'-0"

VAULT SERIAL NO.	DATE	MARK	NATURE	REVISIONS	MADE	CHK'D	REV'D
33655							




SECTION A-A

FLOW CONTROL STRUCTURE (1)
SCALE: 1" = 1'-0"



CROSS-SECTION VEGETATED SWALE (TYP) (3)
SCALE: 3/8" = 1'-0"




CROSS-SECTION VEGETATED SWALE W/ SUB SURFACE DRAIN (4)
SCALE: 3/8" = 1'-0"

- NOTES:
- CONTRACTOR SHALL EXCAVATE TO BOTTOM SWALE ELEV. ENGINEER SHALL CONTACT AL RICE, SPU MATERIALS LAB (386-1299) TO EVALUATE NATIVE SOIL MATERIAL PROPERTIES; HE SHALL DETERMINE SWALE LINER MATERIAL BEFORE CONTRACTOR PROCEEDS WITH SWALE EXCAVATION.
 - WHEN TOP SWALE ELEV. IS ACHIEVED THROUGH BERMING MORE THAN 1', (SEE SPECS) PVC SWALE LINER SHALL BE PLACED IN BERMED AREA AND SECURED.
 - SWALE LINER SHALL EXTEND, AT MINIMUM, TO ELEV. OF OVERFLOW PIPE IE.
 - ALL EXPOSED PIPE ENDS SHALL USE PIPE ARMORING. (1/8)
 - GALVANIZED CHAIN SHALL BE CONNECTED TO DRIFT WOOD (PROVIDE BY OTHERS)
- * SPECIFIC DESIGN INFORMATION AS INDICATED ON PLAN SHEETS.


RECORD DRAWING

DRAINAGE DETAILS SHEET


APPROVED FOR ADVERTISING DWIGHT DIVELY EXECUTIVE SERVICES DIRECTOR SEATTLE, WASHINGTON 20	NAME OR INITIALS AND DATE	INITIALS AND DATE	City of Seattle Seattle Public Utilities Diana Gale, Director	S.E.A. STREET 2nd AVE NW (NW 117TH TO NW 120TH)	PC C399312 R/W CO C399312 VAULT PLAN NO. 777-162
	DESIGNED CHECKED	REVIEWED: DES. CONST. SEATRAN PROJ. MGR.			
BY: CONTRACTING MANAGER	DRAWN CHECKED	RECEIVED			
ALL WORK DONE IN ACCORDANCE WITH THE CITY OF SEATTLE STANDARD PLANS AND SPECIFICATIONS AND OTHER DOCUMENTS CALLED FOR IN SECTION 0-02.3 OF THE PROJECT MANUAL.					SHEET 7 OF 14




PIPE ARMORING (1/3,4)
N.T.S.




SECTION A-A




FLOW MONITORING POOL (3/4)
SCALE: 1/2" = 1'-0"




FLOW CONTROL PIPE (W1) (5/3)
SCALE: 1/2" = 1'-0"



DITCH RETROFIT (2/3,4)
N.T.S.



FLOW CONTROL PIPE (W-6) (4/4)
SCALE: 1/2" = 1'-0"



SLOT LOCATION DETAIL (6/8)
NO SCALE

DRAINAGE DETAILS SHEET

MADE	CHK'D	REV'D
DATE	MARK	NATURE
REVISIONS		

P:\RecordDrawings\C399312\SWT08_P.dwg rainwab 09/21/00 09:38 AM VULT SERIAL NO. 33655

RECORD DRAWING

APPROVED FOR ADVERTISING
DWIGHT DIVELY
EXECUTIVE SERVICES DIRECTOR
SEATTLE, WASHINGTON 20

DESIGNED CHECKED	NAME OR INITIALS AND DATE	INITIALS AND DATE
DRAWN CHECKED		RECEIVED
		REVISED AS BUILT

ALL WORK DONE IN ACCORDANCE WITH THE CITY OF SEATTLE STANDARD PLANS AND SPECIFICATIONS AND OTHER DOCUMENTS CALLED FOR IN SECTION 0-02.3 OF THE PROJECT MANUAL.

City of Seattle
Seattle Public Utilities
Diana Gale, Director


ORDINANCE NO. APPROVED
FUND:
SCALE: AS SHOWN INSPECTOR'S BOOK

S.E.A. STREET
2nd AVE NW
(NW 117TH TO NW 120TH)


NO. PC C399312
R/W
CO C399312
VAULT PLAN NO. 777-162
SHEET 8 OF 14

NW 120th St.

2nd AVE NW



NW 117th St.



PAVING ALIGNMENT PLAN

NO.	DATE	REVISIONS

APPROVED FOR ADVERTISING
 DWIGHT DIVELY
 EXECUTIVE SERVICES DIRECTOR
 SEATTLE, WASHINGTON 20

NAME OR INITIALS AND DATE	INITIALS AND DATE
DESIGNED	REVIEWED:
CHECKED	DES. SPU CONST.
	SEATRAI PROJ. MGR.
DRAWN	RECEIVED
CHECKED	REVISED AS BUILT

BY:
 CONTRACTING MANAGER


City of Seattle
SEATRAI
 Seattle Transportation

ORDINANCE NO. APPROVED
 FUND:
 SCALE: H. V. INSPECTOR'S BOOK.


S.E.A. STREETS
2ND AVENUE NW
(NW 117TH TO NW 120TH)

NO.	PC	C399312
NO.	R/W	C399312
NO.	CO	C399312
VAULT PLAN NO. 774-162		
SHEET 9 OF 14		

P:\RecordDrawings\C399312\Spv01_p.dwg_rainwab_09/21/00 08:46 AM 33655



PAVING LEGEND

-  ASPH 1 - 3" CL A ASPH OVER 6" TYPE 2 MNRL AGG.
-  ASPH 2 - 3" CL A ASPH OVER 4" TYPE 2 MNRL AGG.
-  CW - TYPE 420A
-  CONC DWY - 6" TYPE 430A OR MODIFIED CURB AND GUTTER TYPE 410B(NO CURB)

SEE SHEET 11
MATCH LINE

FOR REMOVAL PLAN, SEE SHEET 2
FOR DRAINAGE PLAN, SEE SHEET 3 & 4
FOR LANDSCAPING PLAN, SEE SHEET 12 & 13

RECORD DRAWING

PAVING PLAN

<p>APPROVED FOR ADVERTISING DWIGHT DIVELY EXECUTIVE SERVICES DIRECTOR SEATTLE, WASHINGTON 20</p> <p>BY: _____ CONTRACTING MANAGER</p>	<p>NAME OR INITIALS AND DATE DESIGNED _____ CHECKED _____</p> <p>DRAWN _____ CHECKED _____</p> <p>ALL WORK DONE IN ACCORDANCE WITH THE CITY OF SEATTLE STANDARD PLANS AND SPECIFICATIONS AND OTHER DOCUMENTS CALLED FOR IN SECTION 0-02.3 OF THE PROJECT MANUAL.</p>	<p>INITIALS AND DATE REVIEWED: _____ SPU CONST. SEATRAN PROJ. MGR.</p> <p>RECEIVED _____ REVISED AS BUILT _____</p> <p>INSPECTOR'S BOOK _____</p>	<p>City of Seattle SEATRAN Seattle Transportation</p> <p>ORDINANCE NO. _____ APPROVED _____ FUND: _____ SCALE: H. V. _____</p>	<p>S.E.A. STREETS 2ND AVENUE NW (NW 117TH TO NW 120TH)</p>	<p>PC C399312 R/W C399312 CO</p> <p>VAULT PLAN NO. 774-162</p> <p>SHEET 10 OF 14</p>
---	--	---	---	---	--

